





The Left View Real Product As The Standard



THE Front View Real Product As The Standard



The Back View Real Product As The Standard



The Trolley Case Real Product As The Standard



BATTERY PORTABLE OXYGEN CONCENTRATOR (1,5000MA LI)

TRAVEL USE /CAR USE /HOME USE WITH TROLLEY CASE, EXTERNAL BATTERY

 MODEL NUMBER 	XY-2B OXYGEN CONCENTRATOR
 OXYGEN PURITY 	90% -26% ADJUSTABLE
 FLOW 	1L -7L/MIN
POWER(W)	110W
 OUTPUT PRESURE 	0.03-0.05MPA
 VOLTAGE 	DC 12V 100V-240V 50~60HZ 0.5A
 DIMENSIO 	305*156*278MM
 FILTER 	6 LEVEL FILTRATION
 NET WEIGHT 	6KG
 TOTAL WEIGHT 	7.5KG
 NOICE 	<45DB
 ANION 	500000/CM ³
 DISPLAY CONTROL 	LED DISPLAY/ REMOTE CONTROL
 TECHNOLOGY 	PSA







The Left View Real Product As The Standard



The Front View Real Product As The Standard



The Back View Real Product As The Standard



The Right View Real Product As The Standard



10L MEDICAL OXYGEN CONCENTRATOR

ATOMIZER & OXYGEN CONCENTRATOR TWO USE.

Alarm system: Hypoxic alarm/Low pressure alarm/Error alarm/Power failure alarm

PARAMETER

 MODEL NUMBER 	XY-6S-10 OXYGEN CONCENTRATOR
 OXYGEN PURITY 	93%+/-3%
 FLOW 	OL -10L/MIN
POWER(W)	600W
 OUTPUT PRESURE 	0.03-0.05MPA
 VOLTAGE 	AC 220V 50HZ 0.5A
 DIMENSION 	380*330*600MM
 PACKAGING 	430*380*675MM
NET WEIGHT	23KG
•TOTAL WEIGHT	25KG
 NOICE 	<48DB
 ANION 	500000/CM ³
 DISPLAY CONTROL 	LED DISPLAY/ REMOTE CONTROL
 TECHNOLOGY 	PSA

MODEL: XY-6S-10

01	_ M		C	ΛΙ
OL		ノ		

XY-6S-8	WHITE/	BLACK	COLOR
			COLOIN



The Left View Real Product As The Standard



The Front View Real Product As The Standard



The Back View Real Product As The Standard



The Right View Real Product As The Standard



8L MEDICAL OXYGEN CONCENTRATOR

ATOMIZER & OXYGEN CONCENTRATOR TWO USE.

Alarm system: Hypoxic alarm/Low pressure alarm/Error alarm/Power failure alarm

 MODEL NUMBER 	XY-6S-8 OXYGEN CONCENTRATOR
 OXYGEN PURITY 	93%+/-3%
 FLOW 	OL -8L/MIN
•POWER(W)	600W
 OUTPUT PRESURE 	0.03-0.05MPA
 VOLTAGE 	AC 220V 50HZ 0.5A
 DIMENSION 	380*330*600MM
 PACKAGING 	430*380*675MM
 NET WEIGHT 	18KG
 TOTAL WEIGHT 	20KG
 NOICE 	<48DB
ANION	500000/CM ³
 DISPLAY CONTROL 	LED DISPLAY/ REMOTE CONTROL
 TECHNOLOGY 	PSA

MODEL: XY-65-8

	M		Λ	
5				

XY-6S-5 \	WHITE/BL	ACK	COLOR
-----------	----------	-----	-------



The Left View Real Product As The Standard



The Front View Real Product As The Standard



The Back View Real Product As The Standard



The Right View Real Product As The Standard



5L MEDICAL OXYGEN CONCENTRATOR

ATOMIZER & OXYGEN CONCENTRATOR TWO USE.

Alarm system: Hypoxic alarm/Low pressure alarm/Error alarm/Power failure alarm

PARAMETER

 MODEL NUMBER 	XY-6S-5 OXYGEN CONCENTRATOR
 OXYGEN PURITY 	93%+/-3%
 FLOW 	0L -5L/MIN
•POWER(W)	350W
 OUTPUT PRESURE 	0.03-0.05MPA
 VOLTAGE 	AC 220V 50HZ 0.5A
 DIMENSION 	380*330*600MM
 PACKAGING 	430*380*675MM
 NET WEIGHT 	16KG
 TOTAL WEIGHT 	18KG
 NOICE 	<48DB
 ANION 	500000/CM ³
 DISPLAY CONTROL 	LED DISPLAY/ REMOTE CONTROL
 TECHNOLOGY 	PSA

MODEL: XY-6S-5



The Left View Real Product As The Standard



The Front View Real Product As The Standard



The Back View Real Product As The Standard



The Right View Real Product As The Standard



BLACK

MODEL: XY-6S-5

5L MEDICAL OXYGEN CONCENTRATOR

ATOMIZER & OXYGEN CONCENTRATOR TWO USE.

Alarm system: Hypoxic alarm/Low pressure alarm/Error alarm/Power failure alarm

•MODEL NUMBERXY-6S-5 OXYGEN CONCENTRATOR•OXYGEN PURITY93%+/-3%•FLOW0L -5L/MIN•POWER(W)350W•OUTPUT PRESURE0.03-0.05MPA•VOLTAGEAC 220V 50HZ 0.5A•DIMENSION380*330*600MM•PACKAGING430*380*675MM•NET WEIGHT16KG•TOTAL WEIGHT18KG•NOICE<48DB•ANION500000/CM3•DISPLAY CONTROLLED DISPLAY/ REMOTE CONTROL•TECHNOLOGYPSA	PARAMETER	
•FLOW OL -5L/MIN •POWER(W) 350W •OUTPUT PRESURE 0.03-0.05MPA •VOLTAGE AC 220V 50HZ 0.5A •DIMENSION 380*330*600MM •PACKAGING 430*380*675MM •NET WEIGHT 16KG •TOTAL WEIGHT 18KG •NOICE <48DB	 MODEL NUMBER 	XY-6S-5 OXYGEN CONCENTRATOR
•POWER(W) 350W •OUTPUT PRESURE 0.03-0.05MPA •VOLTAGE AC 220V 50HZ 0.5A •DIMENSION 380*330*600MM •PACKAGING 430*380*675MM •NET WEIGHT 16KG •TOTAL WEIGHT 18KG •NOICE <48DB	 OXYGEN PURITY 	93%+/-3%
•OUTPUT PRESURE0.03-0.05MPA•VOLTAGEAC 220V 50HZ 0.5A•DIMENSION380*330*600MM•PACKAGING430*380*675MM•NET WEIGHT16KG•TOTAL WEIGHT18KG•NOICE<48DB	 FLOW 	0L -5L/MIN
•VOLTAGEAC 220V 50HZ 0.5A•DIMENSION380*330*600MM•PACKAGING430*380*675MM•NET WEIGHT16KG•TOTAL WEIGHT18KG•NOICE<48DB	POWER(W)	350W
•DIMENSION380*330*600MM•PACKAGING430*380*675MM•NET WEIGHT16KG•TOTAL WEIGHT18KG•NOICE<48DB	 OUTPUT PRESURE 	0.03-0.05MPA
•PACKAGING430*380*675MM•NET WEIGHT16KG•TOTAL WEIGHT18KG•NOICE<48DB	 VOLTAGE 	AC 220V 50HZ 0.5A
•NET WEIGHT 16KG •TOTAL WEIGHT 18KG •NOICE <48DB	 DIMENSION 	380*330*600MM
•TOTAL WEIGHT18KG•NOICE<48DB	 PACKAGING 	430*380*675MM
•NOICE <48DB •ANION 500000/CM ³ •DISPLAY CONTROL LED DISPLAY/ REMOTE CONTROL	NET WEIGHT	16KG
ANION 500000/CM ³ DISPLAY CONTROL LED DISPLAY/ REMOTE CONTROL	 TOTAL WEIGHT 	18KG
OISPLAY CONTROL LED DISPLAY/ REMOTE CONTROL	 NOICE 	<48DB
	 ANION 	500000/CM ³
•TECHNOLOGY PSA	 DISPLAY CONTROL 	LED DISPLAY/ REMOTE CONTROL
	 TECHNOLOGY 	PSA







The Left View Real Product As The Standard



The Front View Real Product As The Standard



The Back View Real Product As The Standard



The Right View Real Product As The Standard



MODEL: XY-6

3L MEDICAL OXYGEN CONCENTRATOR (ATOMIZING FUNCTION)

ATOMIZER & OXYGEN CONCENTRATOR TWO USE.

Alarm system:Hypoxic alarm/Low pressure alarm/Error alarm/Power failure alarm

XY-6 OXYGEN CONCENTRATOR
93%+/-3%
OL -3L/MIN
260W
0.03-0.05MPA
AC 220V 50HZ 0.5A
380*330*600MM
430*380*675MM
14KG
16KG
<48DB
500000/CM ³
LED DISPLAY/ REMOTE CONTROL
PSA







The Left View Real Product As The Standard



The Front View Real Product As The Standard



The Back View Real Product As The Standard



The Right View Real Product As The Standard



MODEL: XY-3M

THE PURITY OVER 90% WHEN 2L/MIN HEALTH CARE

XY-3M OXYGEN CONCENTRATOR
90%- 30% ADJUSTABLE
2-7L/MIN
140W
0.03 MPA
AC 220V 50HZ 0.8A &110V 60HZ 0.8A
325*180*350MM
423*276*467MM
6KG
8KG
<45DB
500000/CM ³
LED DISPLAY/ REMOTE CONTROL
PSA



The Left View Real Product As The Standard



The Front View Real Product As The Standard



The Back View Real Product As The Standard



The Right View Real Product As The Standard



THE PURITY OVER 90% WHEN 2L/MIN INCLUDE ATOMIZING FUNCTION

PARAMETER

XY-5 OXYGEN CONCENTRATOR
90%-30% ADJUSTABLE
2-7L/MIN
145W
0.03 MPA
AC 220V 50HZ 0.8A &110V 60HZ 0.8A
420*190*415MM
525*295*520MM
8.5KG
11KG
<45DB
500000/CM ³
LED DISPLAY/ REMOTE CONTROL
PSA

MODEL: XY-5







The Front View Real Product As The Standard



The Back View Real Product As The Standard



The Right View Real Product As The Standard



2L PORTABLE OXYGEN CONCENTRATOR

THE PURITY OVER 90% WHEN 2L/MIN

 MODEL NUMBER 	XY-1S OXYGEN CONCENTRATOR
 OXYGEN PURITY 	90% 60% 30% ADJUSTABLE
 FLOW 	2L, 4L, 9L/MIN
POWER(W)	200W
 OUTPUT PRESURE 	0.03 MPA
 VOLTAGE 	AC 220V 50HZ 0.8A &110V 60HZ 0.8A
 DIMENSION 	400*180*380MM
 PACKAGING 	485*265*490MM
 NET WEIGHT 	8.5KG
 TOTAL WEIGHT 	10.5KG
•NOICE	<45DB
 ANION 	500000/CM ³
 DISPLAY CONTROL 	LED DISPLAY/ REMOTE CONTROL
 TECHNOLOGY 	PSA

MODEL: XY-1S





○▲ 氧一方

The Left View Real Product As The Standard

The Front View Real Product As The Standard



The Back View Real Product As The Standard



The Right View Real Product As The Standard



2L OXYGEN CONCENTRATOR (ATOMIZING FUNCTION)

THE PURITY OVER 90% WHEN 2L/MIN

 MODEL NUMBER 	XY-1SM OXYGEN CONCENTRATOR
 OXYGEN PURITY 	90% 60% 30%
 FLOW 	2L, 4L, 9L/MIN
POWER(W)	200W
 OUTPUT PRESURE 	0.03 MPA
 VOLTAGE 	AC 220V 50HZ 0.8A &110V 60HZ 0.8A
 DIMENSION 	400*180*380MM
 PACKAGING 	485*265*490MM
 NET WEIGHT 	8.5KG
 TOTAL WEIGHT 	10.5KG
 NOICE 	<45DB
ANION	500000/CM ³
 DISPLAY CONTROL 	LED DISPLAY/ REMOTE CONTROL
 TECHNOLOGY 	PSA



XY-1 / XY-3 / XY	′-3S
------------------	------



The Left View Real Product As The Standard



The Front View Real Product As The Standard



The Back View Real Product As The Standard



The Right View Real Product As The Standard



THE PURITY OVER 90% WHEN 1 L/MIN HEALTH CARE

PA	RA	ME	TER

 MODEL NUMBER 	XY-3 OXYGEN CONCENTRATOR
 OXYGEN PURITY 	90%- 30% ADJUSTABLE
 FLOW 	1-7L/MIN
•POWER(W)	110W
 OUTPUT PRESURE 	0.03 MPA
 VOLTAGE 	AC 220V 50HZ 0.8A &110V 60HZ 0.8A
 DIMENSION 	325*180*350MM
 PACKAGING 	423*276*467MM
NET WEIGHT	6KG
 TOTAL WEIGHT 	8KG
 NOICE 	<45DB
 ANION 	500000/CM ³
 DISPLAY CONTROL 	LED DISPLAY/ REMOTE CONTROL
 TECHNOLOGY 	PSA

MODEL: XY-3S



The Left View Real Product As The Standard



The Front View Real Product As The Standard



The Back View Real Product As The Standard



The Right View Real Product As The Standard



THE PURITY OVER 90% WHEN 1 L/MIN HEALTH CARE

 MODEL NUMBER 	XY-3 OXYGEN CONCENTRATOR
 OXYGEN PURITY 	90%-30% ADJUSTABLE
 FLOW 	1L-7L/MIN
POWER(W)	110W
 OUTPUT PRESURE 	0.03 MPA
 VOLTAGE 	AC 220V 50HZ 0.8A &110V 60HZ 0.8A
 DIMENSION 	325*180*350MM
 PACKAGING 	423*276*467MM
 NET WEIGHT 	6KG
 TOTAL WEIGHT 	8KG
 NOICE 	<45DB
ANION	500000/CM ³
 DISPLAY CONTROL 	LED DISPLAY/ REMOTE CONTROL
 TECHNOLOGY 	PSA

MODEL: XY-3







The Front View Real Product As The Standard



〇入氧一方

The Back View Real Product As The Standard

The Right View Real Product As The Standard



1L PORTABLE OXYGEN CONCENTRATOR

THE PURITY OVER 90% WHEN 1L/MIN HEALTH CARE

 MODEL NUMBER 	XY-1 OXYGEN CONCENTRATOR
 OXYGEN PURITY 	90%-30% ADJUSTABLE
 FLOW 	1L-6L/MIN
POWER(W)	110W
 OUTPUT PRESURE 	0.02-0.03 MPA
 VOLTAGE 	AC 220V 50HZ 0.8A &110V 60HZ 0.8A
 DIMENSION 	400*180*380MM
 PACKAGING 	485*265*490MM
 NET WEIGHT 	7KG
 TOTAL WEIGHT 	9KG
 NOICE 	<45DB
 ANION 	500000/CM ³
 DISPLAY CONTROL 	LED DISPLAY/ REMOTE CONTROL
TECHNOLOGY	PSA

MODEL: XY-1